

SHAFTESBURYS
BLINDS // SHUTTERS

**ROLLER BLINDS:
MEASURING & FITTING GUIDE**



GENERAL INFORMATION

- All measurements should be width first followed by the drop.
- Drop measurement is from top of headrail to underside of bottom bar.
- Use a steel tape measure and measure to the nearest 1mm.
- Don't be surprised if your windows aren't perfectly square.
- Measure all windows even if they appear to be the same size.
- Decide whether you want your blinds installed within the window opening (inside the recess, see page 3) or on the wall/trim (blind size, see page 3). If your window is a recess most people use an inside mount for a neater look, but make sure you have enough depth to allow the product to fit. Use an outside mount when your opening is too shallow or when your window is significantly out of square.
- Always look for obstacles like window handles, tiles and telephone sockets and take their position into account if necessary.
- Our blinds can be fitted to the face of the window frame or wall or into the lintel - giving you complete control over the positioning of your blind.
- We will custom-make your blinds to sizes you provide. If these sizes are incorrect it is not possible to change your blind since it is tailor-made for you. Take your time to double-check measurements.


MEASURING GUIDE

WHEN ORDERING YOUR BLINDS YOU HAVE THREE FITTING OPTIONS AVAILABLE


Fitting Option: 'Blind Size' You supply us with the exact width & drop measurements for where you would like the blind to cover, making allowance for bracket fixings. The width & drop of the blind specified by you will be overall blind size and will be made exactly to the size specified with no allowance made by us. Please note that width of fabric will be 34mm narrower than the overall blind size.

Fitting Option: 'Recess Size' Supply us with the width and height of the recess exactly. We will deduct 5mm from the width to allow the blind to fit. It is advisable to measure the width in several places and you should of course quote the minimum width. Please note that width of fabric will be 34mm narrower than the overall size.

Fitting Option: 'Fabric Size' Supply us with the width and height of the area you would like the fabric to cover exactly. It is advisable to measure the width in several places and you should of course quote the minimum width. Please note that the overall width of the blind will be 34mm wider than the fabric to allow for brackets.



Blind Size



Recess Size